

STABLE DOOR MIN AND MAX SIZES

58/42 SPLIT		1/2+150		55/45 SPLIT				1/2+90		55/45 SPLIT				1/2+90		54/46 SPLIT				1/2+75	
CLASSIC				UNIQUE 1				UNIQUE 2				MODERN									
SLAB WIDTH		SLAB HEIGHT		SLAB WIDTH		SLAB HEIGHT		SLAB WIDTH		SLAB HEIGHT		SLAB WIDTH		SLAB HEIGHT							
MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX		
ALGAS	736	921	1901	2050	RUSHMORE	756	921	1940	2050	BRECON	650	921	1901	2050	GRASSMOOR	500	921	1744	2050		
BEN NEVIS	736	921	1901	2050						MERO	650	921	1901	2050	KNOTT	500	921	1744	2050		
EIGER	736	921	1901	2050						LYELL	650	921	1901	2050	MARDALE	500	921	1744	2050		
ELBRUS	736	921	1901	2050						MALVERN	650	921	1901	2050	STARLING	500	921	1744	2050		
ETNA	736	921	1901	2050										BALKAN	500	921	1744	2050			
FAIRFIELD	756	921	1901	2050										TOVE	500	921	1744	2050			
HOPE	736	921	1901	2050										HALLIN	500	921	1744	2050			
KEA	756	921	1901	2050																	
LOMOND	736	921	1901	2050																	
MCKINLEY	736	921	1901	2050																	
MONT BLANC	736	921	1901	2050																	
MONTE ROSA	736	921	1901	2050																	
OLYMPUS	756	921	1901	2050																	
PELMO	756	921	1901	2050																	
SANFORD	756	921	1901	2050																	
SKIDDAW	736	921	1901	2050																	
SNOWDON	756	921	1901	2050																	
TATE	756	921	1901	2050																	
LINGMOOR	500	921	1901	2050																	

IF REQUIRED DESIGN ISN'T LISTED HERE, IT CANNOT BE DONE

CLASSIC	SLABS BETWEEN 1901 - 2050 WILL HAVE A	58/42 SPLIT
UNIQUE 1	SLABS BETWEEN 1940 - 2050 WILL HAVE A	55/45 SPLIT
UNIQUE 2	SLABS BETWEEN 1901 - 2050 WILL HAVE A	55/45 SPLIT
MODERN	SLABS BETWEEN 1744 - 2050 WILL HAVE A	54/46 SPLIT